



**Laguna de conocimiento: ENDOCANNABINOIDES EN LA MOTILIDAD ESOFÁGICA Y  
UNIÓN ESÓFAGO-GÁSTRICA**

**Autor: Dra. Raquel Abalo (Universidad Rey Juan Carlos, raquel.abalo@urjc.es)**

*Nota: en color violeta se señalan las referencias mostradas al final de la presentación de power point.*

**BIBLIOGRAFÍA (completa):**

- Abdel-Salam O. Gastric acid inhibitory and gastric protective effects of Cannabis and cannabinoids. *Asian Pac J Trop Med.* 2016 May;9(5):413-9. doi: 10.1016/j.apjtm.2016.04.021.
- Adami M, Frati P, Bertini S, Kulkarni-Narla A, Brown DR, de Caro G, Coruzzi G, Soldani G. Gastric antisecretory role and immunohistochemical localization of cannabinoid receptors in the rat stomach. *Br J Pharmacol.* 2002 Apr;135(7):1598-606. doi: 10.1038/sj.bjp.0704625.
- Alleleyn AME, Keszthelyi D, Rinsma NF, Csekő K, Kajtár B, Helyes Z, Winkens B, Masclee AAM, Conchillo JM. The Potential Role for Impaired Mucosal Integrity in the Generation of Esophageal Pain Using Capsaicin in Humans: An Explorative Study. *Clin Transl Gastroenterol.* 2022 May 1;13(5):e00488. doi: 10.14309/ctg.0000000000000488.
- Batista-Lima FJ, Gadelha KKL, Oliveira DM, Vasconcelos TB, Brito TS, Magalhães PJC. A simple laboratory exercise with rat isolated esophagus and stomach fundus to reveal functional differences between striated and smooth muscle cells. *Adv Physiol Educ.* 2017 Jun 1;41(2):291-297. doi: 10.1152/advan.00150.2016.
- Calabrese C, Spisni E, Liguori G, Lazzarini G, Valerii MC, Strillacci A, Gionchetti P, Pagotto U, Campieri M, Rizzello F. Potential role of the cannabinoid receptor CB in the pathogenesis of erosive and non-erosive gastro-oesophageal reflux disease. *Aliment Pharmacol Ther.* 2010 Aug;32(4):603-11. doi: 10.1111/j.1365-2036.2010.04377.x.
- Ge D, Odierna GL, Phillips WD. Influence of cannabinoids upon nerve-evoked skeletal muscle contraction. *Neurosci Lett.* 2020 Apr 23;725:134900. doi: 10.1016/j.neulet.2020.134900.
- Gotfried J, Kataria R, Schey R. Review: The Role of Cannabinoids on Esophageal Function-What We Know Thus Far. *Cannabis Cannabinoid Res.* 2017 Oct 1;2(1):252-258. doi: 10.1089/can.2017.0031.
- Guerrero-Alba R, Barragán-Iglesias P, González-Hernández A, Valdez-Morales EE, Granados-Soto V, Condés-Lara M, Rodríguez MG, Marichal-Cancino BA. Some Prospective Alternatives for Treating Pain: The Endocannabinoid System and Its



PROGRAMA DOCENTE ACADÉMICO  
**GASTROENTEROLOGÍA**  
Y HEPATOLOGÍA

- Putative Receptors GPR18 and GPR55. *Front Pharmacol.* 2019 Jan 8;9:1496. doi: 10.3389/fphar.2018.01496.
- Hornby PJ, Abrahams TP, Partosoedarso ER. Central mechanisms of lower esophageal sphincter control. *Gastroenterol Clin North Am.* 2002 Dec;31(4 Suppl):S11-20, v-vi. doi: 10.1016/s0889-8553(02)00038-9.
- Lian J, Casari I, Falasca M. Modulatory role of the endocannabinoidome in the pathophysiology of the gastrointestinal tract. *Pharmacol Res.* 2022 Jan;175:106025. doi: 10.1016/j.phrs.2021.106025.
- Luquiens A, Lourenco N, Benyamina A, Aubin HJ. Self-medication of achalasia with cannabis, complicated by a cannabis use disorder. *World J Gastroenterol.* 2015 May 28;21(20):6381-3. doi: 10.3748/wjg.v21.i20.6381.
- Malik Z, Bayman L, Valestin J, Rizvi-Toner A, Hashmi S, Schey R. Dronabinol increases pain threshold in patients with functional chest pain: a pilot double-blind placebo-controlled trial. *Dis Esophagus.* 2017 Feb 1;30(2):1-8. doi: 10.1111/dote.12455.
- McKenna M, McDougall JJ. Cannabinoid control of neurogenic inflammation. *Br J Pharmacol.* 2020 Oct;177(19):4386-4399. doi: 10.1111/bph.15208.
- Morsch M, Protti DA, Cheng D, Braet F, Chung RS, Reddel SW, Phillips WD. Cannabinoid-induced increase of quantal size and enhanced neuromuscular transmission. *Sci Rep.* 2018 Mar 16;8(1):4685. doi: 10.1038/s41598-018-22888-4.
- Rohof WO, Aronica E, Beaumont H, Troost D, Boeckstaens GE. Localization of mGluR5, GABAB, GABAA, and cannabinoid receptors on the vago-vagal reflex pathway responsible for transient lower esophageal sphincter relaxation in humans: an immunohistochemical study. *Neurogastroenterol Motil.* 2012 Apr;24(4):383-e173. doi: 10.1111/j.1365-2982.2011.01868.x.
- Ru F, Pavelkova N, Krajewski JL, McDermott JS, Udem BJ, Kollarik M. Stimulus intensity-dependent recruitment of NaV1 subunits in action potential initiation in nerve terminals of vagal C-fibers innervating the esophagus. *Am J Physiol Gastrointest Liver Physiol.* 2020 Oct 1;319(4):G443-G453. doi: 10.1152/ajpgi.00122.2019.
- Uranga JA, Vera G, Abalo R. Cannabinoid pharmacology and therapy in gut disorders. *Biochem Pharmacol.* 2018 Nov;157:134-147. doi: 10.1016/j.bcp.2018.07.048.
- Ustaoglu A, Sawada A, Lee C, Lei WY, Chen CL, Hackett R, Sifrim D, Peiris M, Woodland P. Heartburn sensation in nonerosive reflux disease: pattern of superficial sensory nerves expressing TRPV1 and epithelial cells expressing ASIC3 receptors. *Am J Physiol Gastrointest Liver Physiol.* 2021 May 1;320(5):G804-G815. doi: 10.1152/ajpgi.00013.2021.
- Xiaopeng B, Tanaka Y, Ihara E, Hirano K, Nakano K, Hirano M, Oda Y, Nakamura K. Trypsin induces biphasic muscle contraction and relaxation via transient receptor potential vanilloid 1 and neurokinin receptors 1/2 in porcine esophageal body. *Eur J Pharmacol.* 2017 Feb 15;797:65-74. doi: 10.1016/j.ejphar.2017.01.004.
- Zhang Z, Wu X, Zhang L, Mao A, Ma X, He D. Menthol relieves acid reflux inflammation by regulating TRPV1 in esophageal epithelial cells. *Biochem Biophys Res*



PROGRAMA DOCENTE ACADÉMICO  
**GASTROENTEROLOGÍA**  
**Y HEPATOLOGÍA**

Commun. 2020 Feb  
10.1016/j.bbrc.2020.02.050.

17:S0006-291X(20)30318-1.

doi: